

by



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/023,787	12/17/2001	Michael Edward Farmer	65858-0011	5923

10291 7590 07/12/2005

RADER, FISHMAN & GRAUER PLLC
39533 WOODWARD AVENUE
SUITE 140
BLOOMFIELD HILLS, MI 48304-0610

EXAMINER

SETH, MANAV

ART UNIT	PAPER NUMBER
----------	--------------

2625

DATE MAILED: 07/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/023,787 ✓	Applicant(s) FARMER, MICHAEL EDWARD	
	Examiner Manav Seth	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 June 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-17 and 20-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 18 and 19 is/are allowed.
- 6) ☒ Claim(s) 1,3-13 and 20-33 is/are rejected.
- 7) ☒ Claim(s) 3,4,14-17 and 34-38 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 June 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. The amendment filed 21 June 2005 has been entered in full.
2. Based on Applicant's amendments, the objection to the specification has been withdrawn. Applicant's amendment to the drawing 4 has been fully entered, but the drawing sheet is not labeled as "replacement sheet", therefore objection to the drawing still stands.
3. Applicant's amendments to the claims have been fully considered, but are moot in view of the new ground(s) of rejection.

Claim Objections

4. Claims 3 and 4 objected to because of the following informalities:

Claims 3 and 4 depend on a canceled claim 2. Examiner assumes claims 3 and 4 depending on claim 1, for examining purposes.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 3-4, 6-13, and 20-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baxes, Book Publication, 1994, "Digital image processing: principles and application", further in view of Ishikawa et al., U.S. Patent No. 4,625,329.

Regarding claim 1, Baxes teaches that the image segmentation process consists of three stages (i) **image preprocessing**, where the image is visually improved to make it as free of zero-information-carrying clutter as possible, (ii) **initial object discrimination**, where objects are grossly separated into groups with similar attributes, and (iii) **object boundary cleanup** which includes image morphological processing, where object boundaries are reduced to single-pixel widths and removes noise clutter and other artifacts from the image (page 124, para. 2, figure 5.1). Baxes further discloses that an image exists as a large array of pixels with associated brightness (characteristic) (page 123, para. 2, line 1). It is clear from this disclosure by Baxes that image to be segmented consists of a plurality of pixels and each pixel inherently has a value (initial value) associated with it to measure the characteristics associated which conforms to the limitation "**receiving an ambient image represented by a plurality of pixels and plurality of initial pixel values, wherein each said pixel has at least one said initial pixel value**".

Baxes teaches the second stage (initial object discrimination) of the image segmentation process, which uses **binary contrast enhancement** operation to isolate

Art Unit: 2625

objects in the image, by highlighting similar objects with a common brightness (page 126, para. 3). Baxes further discloses binary contrast enhancement consists of comparing each pixel (initial) value to the threshold value to identify whether pixel belongs to darker (background) area or the brighter (foreground or object) area where darker and brighter areas are two pixel categories (page 330) which conforms to the limitation **“identifying one or more pixels as belonging to one of a plurality of pixel categories on the basis of one or more initial pixel values associated with the pixels being identified”**.

Baxes further teaches binary contrast enhancement process consists the comparing of pixel brightness (initial) value to the brightness threshold value where if the pixel brightness is darker than the threshold, the resulting pixel brightness is set to 0 (first revised pixel value) and if the pixel brightness is brighter than the threshold, the resulting brightness is set to 255 (first revised pixel value) (page 330, para 1). **Baxes further discloses determining (generating) an image threshold (page 77, para. 2, lines 3-5 reciting “the adaptive threshold value is usually determined by computing the average brightness in the area.....”).** It is clear from this disclosure that each pixel in the brighter area will have a value of 255 and each pixel in the darker area will have a value of 0 which conforms to the limitation **“establishing a first revised pixel value for one or more pixels, wherein each pixel in the same pixel category has the same first revised pixel value”**.

Baxes teaches the third stage (object boundary cleanup) of the image segmentation process, which uses a binary morphological processes (operations) such as erosion and dilation (opening and closing), to operate upon binary images, such as those created using a binary contrast enhancement operation (page127, para. 2; page 128, para. 4 and 5). Baxes further teaches of comparing every pixel in the image with its 8 neighbors to produce a

Art Unit: 2625

resulting output pixel value (second revised pixel value) (page 128, last para.). Baxes further teaches “In case where all nine input pixels are identical to their respective mask values, the resulting pixel value is set to a predefined logical value (either 0 or 1). Where one or more input pixels do not match their respective mask values, the resulting value is set to the opposite state (revised second pixel value) (page 129, para.1) which conforms to the limitation **“setting a second revised pixel value for one or more of said pixels on the basis of one or more first revised pixel values that are associated with one or more pixels in the vicinity of the pixel being set”**.”

The whole disclosure by Baxes, discussed above would conform to the limitation **“deriving a segmented image of the occupant (object) from said first revised pixel value and said second revised pixel value”**.

Baxes further discloses “the mission of image analysis operations (such as image segmentation) is to understand an image by quantifying its elements. The elements of interest are generally objects in an image, such as cells, bolts, aircraft, or characters on a page of text, which are occupant of the image. Image analysis operations play a major role in **automated machine vision and image interpretation applications** of digital image processing” (page 123, para. 1). It is clear from above disclosure that image processing operations as disclosed by Baxes can be used in any image processing field where image segmentation is required to identify the object (occupant) in the image and this is further supported by Ishikawa. Ishikawa discloses of a similar image segmentation method and system, which includes an image sensor for generating sensor measurements to identify the occupant in the vehicle (figures 8, 10A and 10B; col. 1, lines 56-60; col. 2, lines 28-32 and lines 45-46; col.5, lines 15-50).

Art Unit: 2625

Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention was made to use Baxes's teachings in the machine vision and image interpretation applications related to image processing such as disclosed in Ishikawa's invention.

Claim 3 recites "an image segmentation method as in claim 1, wherein identifying one or more said pixels further includes comparing said plurality of initial pixel values to said image threshold". Claim 3 has been similarly analyzed and rejected as per the rejection of claim 1.

Claim 4 recites "an image segmentation method as in claim 1, wherein generating an image threshold further comprises analyzing the distribution of initial pixel values relating to a pixel characteristic". Baxer discloses determining the threshold by computing the average brightness in the area (page 77, lines 3-4; page 153, para. 3) and further teaches that brightness and color features (pixel characteristics) of an object can be extracted by examining every pixel within the object's boundaries and discloses that this can be done using a histogram, where histogram shows the brightness (pixel characteristic) distribution found in the object (page 153, para. 2 and 3).

Claim 6 recites "an image segmentation method as in claim 4, wherein each pixel has only one initial pixel value and only one pixel characteristic". Baxes as discussed in the rejection of claim 4, uses a histogram where histogram provides the characteristic (brightness) associated with each pixel, It is clear from this that in histogram graph (page 63,

Art Unit: 2625

figure 3.19b) each pixel will have one value for each characteristic (sharpness) associated with it.

Claim 7 recites “an image segmentation method as in claim 6, wherein luminosity is said pixel characteristic”. Luminosity is the synonym of Brightness as the characteristic of the pixel. Claim 7 has been similarly analyzed and rejected as per claims 6, 4 and 1.

Claim 8 recites “an image segmentation method as in claim 3, wherein each said pixel has a pixel location with respect to the ambient image, and said pixel location determines which of a plurality of image thresholds are compared to said initial pixel value for said pixel in said pixel location”. As disclosed in the rejection of claim 1, Baxes teaches that an image exists as a large array of pixels with associated brightness (characteristic) (page 123, para. 2, line 1). It is clear from this disclosure by Baxes that image is made of plurality of pixels and each pixel has to have a any pixel location to represent the image and the position of the pixel can further be determined using histogram which shows the distribution of image pixels. Baxes further discloses in the rejection of claim 1, that for image segmentation the initial pixel value of the pixel is compared to the image threshold generated. Baxes further teaches adaptive thresholding in which the appropriate threshold value may need to change throughout the image being processed depending on the qualities of the image in the area being processed, for example, “in areas where the image is darker, the threshold value decrease and in areas where the image is lighter (brighter), the threshold value increases” (page 76, para. 1). It is clear from the above disclosure by Baxes, adaptive thresholding can be used to determine a plurality of image thresholds depending on the pixel location, to

Art Unit: 2625

which the each said pixel can be compared to, which conforms to the limitation “said pixel location determines which of a plurality of image thresholds are compared to said initial pixel value for said pixel in said pixel location”.

Claim 9 recites “an image segmentation method as in claim 8, wherein a higher image threshold is applied in pixel locations where there is brighter lighting”. Claim 9 has been similarly analyzed and rejected as per claim 8.

Claim 10 recites “an image segmentation method as in claim 1, wherein there are only two pixel categories”. As disclosed by Baxes in the rejection of claim 1, The pixel is either identified as belonging to darker area or brighter area where darker and brighter areas are two pixel categories. Claim 10 has been similarly analyzed and rejected as per claim 1.

Claim 11 recites “an image segmentation method as claim 1, wherein setting the second revised pixel value includes a morphological heuristic”. As disclosed by Baxes in rejection of claim 1, the third stage (object boundary cleanup) of the image segmentation process, which uses a binary morphological processes (heuristic) such as erosion and dilation, to operate upon binary images, such as those created using a binary contrast enhancement operation (page 127, para. 2; page 128, para. 4 and 5) and Baxes further teaches of comparing every pixel in the image with its 8 neighbors to produce a resulting output pixel value (second revised pixel value) (page 128, last para.). Claim 11 has been similarly analyzed and rejected as per claim 1.

Art Unit: 2625

Claim 12 recites “an image segmentation method as in claim 11, wherein the morphological heuristic is a morphological erosion”. Claim 12 has been similarly analyzed and rejected as per claim 11 and claim 1.

Claim 13 recites “an image segmentation method as in claim 12, wherein the morphological heuristic is a morphological dilation”. Claim 13 has been similarly analyzed and rejected as per claims 12, 11 and 1.

Claim 20 recites an image segmentation system, which comprises of an image thresholding subsystem and a gap processing subsystem. As discussed in the rejection of claim 1, Baxes discloses image segmentation, which comprises of three stages where second stage provides the image thresholding and third stage uses dilation and erosion (closing and opening) for a gap processing (page 136, para. 5, lines 2-3). To perform these image segmentation operations, a system is obviously required. Ishikawa presents a image processing system for image segmentation as discussed in claim 1.

Claim 21 has been similarly analyzed and rejected as per claims 20, 1, 4, 6 and 7.

Claim 22 has been similarly analyzed and rejected as per claims 21, 20, 1, 4, 6, and 7.

Claim 23 has been similarly analyzed and rejected as per claims 22 → 20 and 5.

Claim 24 has been similarly analyzed and rejected as per claims 23 → 20 and 5.

Claim 25 has been similarly analyzed and rejected as per claims 24 → 20 and 8.

Claim 26 recites two subsets of pixels similarly like two categories (darker area and brighter area which contain dark and white pixels) as in rejection of claim 1. Claim 26 has been similarly analyzed and rejected as per claims 24 → 20 and claim 1.

Claim 27 has been similarly analyzed and rejected as per claims 26 → 20 and claim 1.

Claim 28 recites “an image segmentation system as in claim 27 wherein at least approximately half of said plurality of said pixels are set to said first binary value”. Setting the plurality of said pixels to said first binary value depends on the size of the object to be segmented and the on the area of the background, if the area of the object is half the image, then it is clear that almost half the pixels in the image will be set to binary value to be labeled to the object and rest to the background.

Claim 29-31 have been similarly analyzed and rejected as claims 20, 1 and 11-13.

Claim 32 recites “an image segmentation as in claim 29, said morphological heuristic comprising a vertically-based morphological heuristic”. Baxes further discloses that morphological erosion and dilation operations can be performed in vertical and horizontal directions (page 136, para. 1, line 3).

Art Unit: 2625

Claim 33 recites “an image segmentation as in claim 29, said morphological heuristic comprising a horizontally-based morphological heuristic”. Claim 33 has been similarly analyzed and rejected as per claim 32.

7. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Baxes, Book Publication, 1994, “Digital image processing: principles and application”, further in view of Ishikawa et al., U.S. Patent No. 4,625,329 and further in view of Google article, Jan. 29, 2001, “Point operations”, and further in view of Hentea, IEEE Publication, 1993, “Algorithm for automatic threshold determination for image segmentation”.

Claim 5 recites “an image segmentation method as in claim wherein analyzing the distribution of initial pixel values further includes: recording aggregate initial pixel values into a histogram; translating the histogram into a cumulative distribution function”. As disclosed in the rejection of claims 1 and 4, Baxes discloses the use of histogram to generate the image threshold by recording the initial pixel values of the image in the histogram. Baxes does not teach of translating the histogram into a cumulative distribution function and calculating an image threshold based on the predetermined percentage of initial pixel values falling below the image threshold and neither does Ishikawa teaches the same. It is well known in the art of image processing that thresholding in its various versions (local, global, and dynamic), is the most commonly used method for image segmentation and global thresholding produces satisfactory results if the input images are corrected for uneven illuminant (shading correction). Translating the histogram into a cumulative distribution function is nothing but

Art Unit: 2625

histogram equalization and histogram equalization is well known in the art of image processing and is further supported by Google article "Point operations". This article on page 2 of 4, discloses histogram equalization by obtaining the cumulative probability distribution of r (where r is an input value). Therefore, it would have been obvious for one of ordinary skill in the art at the time of invention was made, to use the teachings of "Point operations" of obtaining the cumulative probability distribution of the histogram in the combined invention of Baxes and Ishikawa. One would have been motivated to use the teachings of "Point operations" of obtaining the cumulative probability distribution of the histogram in the combined invention of Baxes and Ishikawa because both the all the reference are directed to image processing field and "Point operations" performs histogram equalization by obtaining the cumulative probability distribution of the histogram to **distribute the gray levels of the image evenly over the maximum possible range (page 2 of 4).**

Claim 5 further recites the limitation "calculating an image threshold based on a predetermined percentage of initial pixel values falling below the image threshold". Baxes does teach of determining image threshold based on the calculation performed on the initial pixel values but calculating an image threshold based on the predetermined percentage of initial pixel values falling below the image threshold and neither does Ishikawa and "Point operations" teaches the same. However, Hentea discloses an algorithm for automatic threshold selection for the detection of objects that are darker than the background (page 535, right col., para. 2). Hentea further provides the teachings where a cumulative histogram is calculated from the pixel values and then the image threshold is automatically selected as

Art Unit: 2625

the gray level for which a given percentage of the blocks (or plurality of pixel values) have minimum values lower than it (image threshold) (page 535, right col., para. 4).

Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention was made to use the teachings of Hentea in the combined invention of Baxes, Ishikawa and "Point operations". One would have been motivated to use the teachings of Hentea in the combined invention of Baxes, Ishikawa and "Point operations" because Hentea belongs to the same art of endeavor (image segmentation) as are Baxes and Ishikawa and Hentea further provides the teachings for the automatic selection of the threshold for global thresholding which is very robust and performs well for images belonging to a large class and is also very efficient from a computation point of view, and is very flexible (page 538, right col., para. 1).

Response to Arguments

8. Applicant's arguments regarding the prior art rejections under Baxes on pages 13 and 14 of the Amendment filed on 21 June 2005 have been fully considered but they are not persuasive.

9. In the 4th and 5th paragraph on page 13 of the Amendment, Applicant argues in substance:

a. Baxes' teaching of "brightness slicing" clearly has nothing to do with an "image segmentation" as recited in claim 1, Baxes contains no teaching or suggestion that his method (or system) can or should be used for the purpose of segmenting images".

Art Unit: 2625

The Examiner respectfully disagrees. Baxes clearly discloses on page 124 the topic **“IMAGE SEGMENTATION”** and further teaches that the image segmentation process consists of three stages (i) **image preprocessing**, where the image is visually improved to make it as free of zero-information-carrying clutter as possible, (ii) **initial object discrimination**, where objects are grossly separated into groups with similar attributes, and (iii) **object boundary cleanup** which includes image morphological processing, where object boundaries are reduced to single-pixel widths and removes noise clutter and other artifacts from the image (page 124, para. 2, figure 5.1). Baxes teaches **the second stage (initial object discrimination)** of the image segmentation process, which uses **binary contrast enhancement operation** to isolate objects in the image, by highlighting similar objects with a common brightness (page 126, para. 3). Baxes further discloses binary contrast enhancement consists of comparing each pixel (initial) value to the threshold value to identify whether pixel belongs to darker (background) area or the brighter (foreground or object) area where darker and brighter areas are two pixel categories (page 330) which conforms to the limitation **“identifying one or more pixels as belonging to one of a plurality of pixel categories on the basis of one or more initial pixel values associated with the pixels being identified”**.

Baxes further teaches **binary contrast enhancement process** consists the comparing of pixel brightness (initial) value to the brightness threshold value where if the pixel brightness is darker than the threshold, the resulting pixel brightness is set to 0 (first revised pixel value) and if the pixel brightness is brighter than the threshold, the resulting brightness is set to 255 (first revised pixel value) (page 330, para 1). **Baxes further discloses determining (generating) an image threshold** (page 77, para. 2, lines 3-5 reciting “the

Art Unit: 2625

adaptive threshold value is usually determined by computing the average brightness in the area.....”). It is clear from this disclosure that each pixel in the brighter area will have a value of 255 and each pixel in the darker area will have a value of 0 which conforms to the limitation “establishing a first revised pixel value for one or more pixels, wherein each pixel in the same pixel category has the same first revised pixel value”. Examiner further asserts that brightness (intensity) is the pixel value (as recited in claims) of the pixel and image inherently is made of pixels and pixels of the image are thresholded to segment the objects in images and this is very well known in the art of image processing and Baxes provides enough evidence for this well known technique or method which apparently needs a system to perform this method.

Allowable Subject Matter

10. Claims 18 and 19 are allowed.

The following is an examiner’s statement of **reasons of allowance**:

Both the instant invention and the closest prior art Baxes, Book Publication, 1994, “Digital image processing: principles and application” are directed to a method of image segmentation to identify objects (occupants) in the images. The instant invention further recites the limitation “determining a third revised pixel value from said second revised pixel value or said first revised pixel value with a momentum-based heuristic” in claim 18 whereas Baxes does not teach use of momentum-based operations or heuristic to determine a third revised pixel value from said second revised pixel value or said first revised pixel value. Therefore claim 18 is allowed. Claim 19 is dependent on claim 18 and therefore is allowed.

Art Unit: 2625

11. Claims 14-17 are objected to as being dependent upon a rejected base claim 1, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is an examiner's statement of reasons of allowance:

The instant invention is directed to a method of image segmentation to identify the object (occupant) in the image. The key difference between the instant invention and the closest prior art (Baxes, Book Publication, 1994, "Digital image processing: principles and application") is the fact that the instant invention uses morphological heuristic, momentum-based heuristic and gravity based heuristic for image segmentation process whereas Baxes only use a morphological heuristic for image segmentation. The limitations "an image segmentation method as in claim 1, wherein setting the second revised pixel value includes a momentum-based heuristic" as recited in claim 14 and "an image segmentation method as in claim 1, wherein setting the second revised pixel value includes a gravity-based heuristic" as recited in claim 17 are not disclosed or suggested by prior art of record. Therefore, claims 14 and 17 are allowed. Claims 15 and 16 are dependent on claim 14, therefore they meet the conditions of allowance as applied to claim 14.

12. Claims 34-38 are objected to as being dependent upon a rejected base claim 20, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is an examiner's statement of reasons of allowance:

Art Unit: 2625

The same reasons of allowance are applicable to claim 34 and 37 as applied to the allowance of claims 14-17. The limitations “An image segmentation system as in claim 20, said gap processing heuristic comprising a momentum-based heuristic and said subset of vicinity pixels comprising a subset of sequential pixels, and said gap processing subsystem selectively setting said pixel value using said momentum-based heuristic and said pixel values relating to said subset of sequential pixels” as recited in claim 34 and “said gap filling heuristic comprising a gravity-based heuristic, a pixel region, and a region characteristic” as recited in claim 37, are not disclosed or suggested by prior art of record. Therefore, claims 34 and 37 are allowed. Claims 35 and 36 are dependent on claim 34, therefore they meet the conditions of allowance as applied to claim 34. Similarly claim 38 is allowed, being dependent on claim 37.

Conclusion

13. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action.

Art Unit: 2625


In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manav Seth whose telephone number is (571) 272-7456. The examiner can normally be reached on Monday to Friday from 8:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta, can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manav Seth
Art Unit 2625
July 1, 2005


BHAVESH M. MEHTA
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600